

## New Feature on Dental Interact: Reply to Discussion by Email

I would like to update users on a new feature of Dental Interact, *reply to discussion by email*. This feature allows you to reply to a discussion simply by replying via email. You can use this feature by simply replying in your email client as you would to any email **OR** by clicking the “email reply to discussion” link in your notification from Dental Interact.

**Please note, by using either of these methods, your reply will post to the discussion, therefore, it is visible to all committee members.**

If you would like to reply privately to someone via Dental Interact in regards to a discussion, please click the “reply to sender” link on the right hand column of your notification email. See below.



The screenshot shows the header of an email notification from Dental Interact. The header includes the logo, the text "dental interact", and the breadcrumb "NADP | All Discussions | Model Microsite Test Community 2". Below this is a green bar with the subject "RE: test". The main body of the email is divided into three columns. The left column contains the "From:" field with the name "Lauren Oakley" and a link to her profile, the "To:" field with "Model Microsite Test Community 2" and a link to "Email Reply to Discussion", the "Posted:" field with the date and time "Aug 21, 2014 3:44 PM", and the "Subject:" field with "RE: test". The middle column features a profile picture of Lauren Oakley and links for "View Profile", "Add Contact", "Contact", and "Author". The right column contains a list of action links: "Discussion Home", "Reply to Discussion", "Reply to Sender" (circled in red), "Post Message", "Forward Message", "Print Message", "View Thread", "Author's Messages", "Search", and "My Subscriptions". At the bottom left, there is contact information for Lauren Oakley, Web Manager at NADP. At the bottom right, there is a "CONVERGE" logo for the "nadp conference 2014" with a "CLICK HERE" button.

Please let me know if you have any questions!